



Morgan's FulvicBlaster

Liquid Fulvic Acid

For In-furrow, Transplant Solution, Foliar, and
Fertigation on All Crops

Compatible with most insecticides, herbicides, and fertilizers.

4353 E US Highway 10
Sears, MI 49679
Ph: (231) 734-2451
Fax: (231) 734-6259

2.5 Gallons (9.46 L)
Net Weight 21.5 lbs (9.75 kg)

www.dairydoo.com
info@dairydoo.com

Morgan's FulvicBlaster

Liquid Fulvic Acid

RATE OF APPLICATION

IN-FURROW

Corn, Soybeans, Wheat, Potatoes: 1 to 2 qts/ac with 3 to 5 gals of solution.

TRANSPLANT

All: 1 to 2 gals/100 gals Transplant Solution.

FERTIGATION

All: 2 to 4 qts/ac. Repeat every 7 to 14 days.

FOLIAR

All: 1 to 2 qts/ac with herbicides, insecticides, and fertilizers.

For best coverage, recommend applying with a minimum of 10 gallons spray solution per acre. To ensure good uptake of nutrients when applying foliar, recommend not applying during the heat of the day nor in very high or very low humidity conditions.

*These are general product recommendations. Please consult with your Morgan Composting agronomist for specific fertility recommendations.

*Conduct a jar test before mixing with pesticides and other fertilizers to confirm physical compatibility.

*Protect from freezing.

*Shake well before use.

Use only as directed

KEEP OUT OF REACH OF CHILDREN



Morgan's

FulvicBlaster

ACTIVE INGREDIENTS

Fulvic Acid from Leonardite

33% Fulvic Fraction

0.26% Fulvic Acid, Ashless

Manufactured by

Morgan Composting, Inc

4353 E US Highway 10

Sears, MI 49679

231-734-2451